



Engine Type		Cost (US \$)	Delivery Time
➤ JPE01/150 (150 Hp)		38.000	3 Months
➤ JPE01/200 (200 Hp)		48.000	3 Months
➤ JPE02/230 (230 Hp)	HYBRID	104.000	6 Months
➤ JPE03/300 (300 Hp)		70.000	3 Months
➤ JPE04/400 (400 Hp)	HYBRID	125.000	6 Months

	FUEL USED	MTOP/FF	MCP/FF	WEIGHT	TBO
CONTINENTAL Centurion testuali	Diesel (EN 590), Jet A, Jet A-1	99 Kw (128 hp) 5,5 gal/h (21 l/h)	99 Kw (128 hp) 5,5 gal/h (21 l/h)	134 Kg (295 Lbs)	1500
LYCOMING 0-320	Fuel grade, octane 80/87	115 Kw (150 hp) 11 gal/h (35 l/h)	110 Kw (143 hp) 10 gal/h (32 l/h)	126 Kg (279 Lbs)	2000
ROTAX 912 UL	Fuel grade, octane 80/87	84,5 Kw (140 hp) 8 gal/h (30 l/h)	60 Kw (78 hp) 4 gal/h (15 l/h)	75 Kg (165 Lbs)	2000
AUSTROENGINE AE300	Diesel (EN 590), Jet A, Jet A-1	123,5 Kw (160 hp) 9,4 gal/h (35,1 l/h)	114 Kw (148 hp) 8,3 gal/h (31,5 l/h)	185 Kg (407 Lbs)	2000
P <sup>2</sup> M JPE01/150	Diesel (EN 590), Jet A, Jet A-1	115 Kw (150 hp) 6 gal/h (23 l/h)	95 Kw (123 hp) 4,7 gal/h (18 l/h)	140Kg (265 Lbs)	2000
P <sup>2</sup> M JPE01/200	Diesel (EN 590), Jet A, Jet A-1	149 Kw (200 hp) 7 gal/h (23 l/h)	95 Kw (123 hp) 5.3 gal/h (18 l/h)	148Kg (280 Lbs)	2000
P <sup>2</sup> M JPE H 02	Diesel (EN 590), Jet A, Jet A-1	150 Kw (201 hp) 6 gal/h (23 l/h)	95 Kw (123 hp) 4,7 gal/h (18 l/h)	190 Kg (330 Lbs)	2000
	FUEL USED	MTOP/FF	MCP/FF	WEIGHT	TBO
LYCOMING 0-540 A	Fuel grade, octane 80/87	192 Kw (250 hp) 20,5 gal/h (77 l/h)	176 Kw 230 hp) 16,5 gal/h (62 l/h)	185 Kg (405 Lbs)	2000
LYCOMING 0-5450 S	Fuel grade, octane 80/87	230 Kw (300 hp) 24 gal/h (90 l/h)	190 Kw (250 hp) 21 gal/h (79 l/h)	213 Kg (475 Lbs)	1800
Continental TS10-550	Fuel grade, octane 80/87	230 Kw (300 hp) 24 gal/h (90 l/h)	N.A.	226 Kg (497 Lbs)	N.A.
Safram SR305	Diesel (EN 590), Jet A, Jet A-1	174 Kw (227 hp) 10,6 gal/h (38 l/h)	150 Kw (195 hp) 8 gal/h (30 l/h)	205 Kg (455 Lbs)	2400
P <sup>2</sup> M JPE03	Diesel (EN 590), Jet A, Jet A-1	223 Kw (300 hp) 10 gal/h (38 l/h)	170 Kw (221 hp) 9 gal/h (34 l/h)	160 Kg (353 Lbs)	2000
P <sup>2</sup> M JPE H 04	Diesel (EN 590), Jet A, Jet A-1	298 Kw (400 hp) 10 gal/h (38 l/h)	170 Kw (221 hp) 9 gal/h (34 l/h)	190 Kg (397 Lbs)	2000